ö

Signature

11-2	9-	90
110		\mathcal{O}°

PTO/SB/05 (2/98) Approved for use through 09/30/2000. OMB 0651-0032

Patent and Trademark Office. U.S. DEPARTMENT OF COMMERCE

under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

UTILITY PATENT APPLICATION TRANSMITTAL

lease type a plus sign (+) inside this box ->

Attorney Docket No. 7000-043 Wood, Patrick First Inventor or Application Identifier PROGRAMMABLE FEATURE QUEUES Title EL555717001US

Express Mail Label No. (Only for new nonprovisional applications under 37 CFR § 1.53(b)) Commissioner for Patents APPLICATION ELEMENTS **Box Patent Application** ADDRESS TO: See MPEP chapter 600 concerning utility patent application contents. Washington, DC 20231 Microfiche Computer Program (Appendix) *Fee Transmittal Form (e.g., PTO/SB/17) 6. Nucleotide and/or Amino Acid Sequence Submission (Submit an original and a duplicate for fee processing) 7. (if applicable, all necessary) [Total Pages 34] Specification (preferred arrangement set forth below) Computer Readable Copy a. Paper Copy (identical to computer copy) - Descriptive title to the Invention b. Statement verifying identity of above copies - Cross References to Related Applications — Statement Regarding Fed sponsored R & D **ACCOMPANYING APPLICATION PARTS** - Reference to Microfiche Appendix Assignment Papers (cover sheet & document(s)) Background of the Invention 8. 37 C.F.R. § 3.73(b) Statement Power of Attorney - Brief Summary of the Invention 9. (when there is an assignee) - Brief Description of the Drawings (if filed) English Translation Document (if applicable) - Detailed Description 10. Copies of IDS Information Disclosure --- Claim(s) 11. Citations Statement (IDS)/PTO-1449 Abstract of the Disclosure Preliminary Amendment Drawing(s) (35 U.S.C. 113) [Total Sheets 3 sets of 6] 12. Return Receipt Postcard (MPEP 503) [Total Pages 2] Oath or Declaration 13. (Should be specifically itemized) Newly executed (original or copy) a. Statement filed in prior application, *Small Entity Copy from a prior application (37 C.F.R. § 1.63(d)) 14. Statement(s) Status still proper and desired (for continuation/divisional with Box 17 completed) Certified Copy of Priority Document(s) [Note Box 5 below] 15. (if foreign priority is claimed) **DELETION OF INVENTOR(S)** Signed statement attached deleting 16. inventor(s) named in the prior application, see 37 C.F.R. §§ 1.63(d)(2) and 1.33(b). *<u>NOTE FOR ITEMS 1 & 14</u>: IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY FEES, A SMALL Incorporation By Reference (useable if Box 4b is checked) The entire disclosure of the prior application, from which a ENTITY STATEMENT IS REQUIRED (37 C.F.R. copy of the oath or declaration is supplied under Box 4b, § 1.27), EXCEPT IF ONE FILED IN A PRIOR is considered as being part of the disclosure of the APPLICATION IS RELIED UPON (37 C.F.R. § 1.28). accompanying application and is hereby incorporated by reference therein. 17. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information below and in a preliminary statement: of prior application No: Divisional Continuation-in-part (CIP) Continuation Group/Art Unit: Examiner: Prior application information: 18. CORRESPONDENCE ADDRESS Correspondence address below Customer Number or Bar Code Label 24631 NAME ADDRESS ZIP CODE STATE CITY **FAX** TELEPHONE COUNTRY 40,876 Registration No. (Attorney/Agent) Benjamin S. Withrow Name (Print/Type) November 28, 2000

Burden Hour Statement This term is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT hated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the SEND FEES OR COMPLETED FORMS TO THIS ADDRESS SEND TO Commissioner for Patents, Box Patent Application, Washington, DC 20231.

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

FEE TRANSMITTAL	Complete if Known			
for FY 2000	Application Number			
Patent fees are subject to annual revision.	Filing Date	November 28, 2000		
Small Entity payments <u>must</u> be supported by a small entity statement.	First Named Inventor	Wood, Patrick		
otherwise large entity fees must be paid. See Forms PTO/SB/09-12.	Examiner Name			
See 37 C.F.R. §§ 1.27 and 1.28.	Group/Art Unit			
TOTAL AMOUNT OF DAYMENT (\$\4672.00	Attorney Docket No.	7000-043		

		METHO	D OF	PAYMENT (check or	ie)	FEE CALCULATION (continued)					
1.	7 The	Commissi	ion io bor	eby authorized to charge		3. AI	DDITION	AL FEE	S		
1.				lit any over payments to:		Large	Entity	Small			1
	muic	aleu iees	and Grec	iit arry over payments to.		Fee	Fee	Fee	Fee	Fee Description	Fee Paid
Deposit	Г					Code	(\$)	Code	(\$)		
Accoun		8-1164				105	130	205	65	Surcharge - late filing fee or oath	
Number	r L					127	50	203	25	Surcharge - late provisional filing fee	
						121	50	221	20	or cover sheet	
Deposit		N 0		21.1.0	-	139	130	139	130	Non-English specification	
Accoun Name	t 1	Rhodes &	Mason, F	P.L.L.C		147	2,520	147	2,520	For filing a request for reexamination	
Name	L					112	920*	112	920*	Requesting publication of SIR prior	
	\boxtimes	Chargo	Anu Addi	itional Fee Required						to Examiner action	
				§1 16 and 1.17		113	1,840*	113	1,840*	Requesting publication of SIR after	
		Officer 5	/ CFR 3	gi io and i.ir				0.45		Examination action	
						115	110	215	55 405	Extension for reply within first month	<u> </u>
2.	Pay	ment Encl	osed.			116	390	216 217	195 445	Extension for reply within second month Extension for reply within third month	
100	\boxtimes	Check		Money Order Oti	ner	117 118	890 1.390	217	695	Extension for reply within fourth month	
Accepted to the control of the contr			CEE (CALCULATION		128	1,890	228	945	Extension for reply within fifth month	
				ALCOLATION		119	310	219	155	Notice of Appeal	
		ILING F				120	310	220	155	Filing a brief in support of an appeal	
Large	Entity		•		Fee Paid	121	270	221	135	Request for oral hearing	
Fee Code	Fee (\$)	Fee Code	Fee (\$)	Fee Description	reeralu	138	1,510	138	1,510	Petition to institute a public use proceeding	
101	(₹) 710	201	(♥) 355	Utility filing fee	710 00	140	110	240	55	Petition to revive - unavoidable	
106	320	206	160		1	141	1,240	241	620	Petition to revive - unintentional	
107	490	207	245			142	1,240	242	620	Utility issue fee (or reissue)	
:108	710	208	355	•		143	440	243	220	Design issue fee	1 1 1
107 108 114	150	214	75			144	600	244	300	Plant issue fee	
				SUBTOTAL (1)	\$)710.00	122	130	122	130	Petitions to the Commissioner	
				000101111111	p)1 10.00	123	50	123	50	Petitions related to provisional applications	
	YTRA	CLAIM I	FEES			126	240	126	240	Submission of Information Disclosure Stmt	
i	-X 111/A	OLAIII I	LLO	Fee from		1					40 00
Healt				Extra Claims below	Fee Paid	581	40	581	40	Recording each patent assignment per property (times number of properties)	140 00
12						146	710	246	355	Filing a submission after final rejection	├ ─┤ │
Total C		49			= 522 00 = 400 00	146	710	240	300	(37 CFR §1.129(a))	-
Indepe		8	-3**	= 5 X 80 00	= 400 00	1					
Claims		dant Clain		[_	149	710	249	355	For each additional invention to be	
		dent Clain		eater; For Reissues, see be	low	1				examined (37 CFR §1 129(b))	
Large	Entity		Entity	saler, i or iteraduca, acc ac							
Fee	Fee	Fee	Fee	Fee Descripti	on	Other f	ee (specify)			
Code	(\$)	Code	(\$)	•		1					
103	18	203	9	Claims in excess of 20		Other f	ee (specify	')			
103	80	202	40	Independent claims in exc	ess of 3		(56530)	<i>'</i> —			
		202	135	Multiple dependent claim	.000 01 0						
104	270			**Reissue independent claim	aime						
109	80	209	40	•	Gillio	-			Fac Daid	SUBTOTAL (3) (\$)	40.00
		0.40	•	over original patent		/ Reduc	ced by Bas	ic Filing	ree Paid	SUBTOTAL (3)	+0 00
110 18 210 9 **Reissue claims in excess of 20				1							
1				and over original patent							
1				SUBTOTAL (2) (\$)922.00						

SUBMITTED BY					Complete (if applicable)		
Name (Print/Type)	Benjamin S. Withrow	81	Registration No. (Attorney/Agent)	40,876	Telephone	(919) 657-0450	
Signature	1/20/	1/6/1			Date	11/28/2000	

Information on this form may become public. Credit card information should not be Included on this form. Provide credit card information and authorization on PTO-2038.

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO Commissioner for Patents, Washington, DC 20231.

UNITED STATES PATENT APPLICATION FOR GRANT OF LETTERS PATENT

Patrick S. Wood INVENTOR

PROGRAMMABLE FEATURE QUEUES

Rhodes & Mason, P.L.L.C.

P.O. Box 1167 Cary, NC 27512 (919) 654-4566

25

30

PROGRAMMABLE FEATURE QUEUES

Field of the Invention

The present invention generally relates to call processing, and in particular, relates to providing custom events and feature initiation sequences during call processing.

Background of the Invention

10 With the advent of intelligent networks, the number of calling features, such as "call waiting" and "call forward busy," have greatly increased. These features are triggered based on a defined event during a telephony call. Since multiple features may be available for a given event, the order in which these features are initiated is defined in a feature queue. Thus, when the trigger event occurs, the entity providing call processing will attempt to initiate the features in the feature queue in a sequential fashion.

Typically, the events, features, and order of the features in the feature queues are set for an entire switching center, such as a central office or mobile switching center. In addition, both the telephony equipment manufacturers and the service providers are typically constrained by the event and feature policies established by standards entities, such as Bellcore. At the present, these entities define the events that trigger features and the order in which these features are initiated for a given event. When customers of the equipment manufacturers want to modify the event and feature policies dictated by the standards entity, the equipment manufacturer, customer, and standards entity must get together and negotiate any changes in the policies, because the equipment manufacturers cannot

20

25

30

unilaterally change the policies. Although the customers could theoretically change their individual event and feature policies, there is not way to facilitate the modification of events and features at a per-office level. As such, there is a need for a way to modify call processing events and feature initiation sequences on a per-office basis.

Further, many subscribers and groups of subscribers may not subscribe to the services associated with the call features. For example, many subscribers and groups thereof do not subscribe to call waiting and an even greater number typically do not subscribe to call forward busy services. Unfortunately, the rigid structure of the current call processing architecture attempts to initiate each of these features, even if the subscriber or group thereof does not subscribe to the service associated with the feature. Given the numerous events and potential features for each of these events, a significant amount of processing time and power is wasted attempting to initiate features that are not relevant to the given call. As such, there is a need for a way to eliminate unnecessary attempts to initiate call features that are not available for a subscriber, group of subscribers, or office.

A further failing of the existing call processing architecture is the inability to change the order of initiation of features for a given event. For example, if a subscriber or group of subscribers subscribe to call waiting and call forward busy services, many of the subscribers may want to have the call waiting service initiated prior to call forward busy whereas others would rather the call forward busy service initiate prior to call waiting. Similar decisions may be desired for an entire office. Regardless of whether it is the entire

10

15

25

30

office, a group or subscribers, or an individual subscriber, there is a need to provide an efficient way to select the order in which features are initiated for a given event in addition to defining features for a given event.

Summary of the Invention

The present invention provides for modification of call features and the priority to initiate these call features on an overall office, group, or subscriber level. In essence, configurable feature queues may be created and associated with any number of subscribers or groups of subscribers in a call processing environment. Preferably, a standard feature queue is provided for an office. The call features and the sequence in which the call features are implemented are modifiable within the standard feature queue for the entire office. Additional feature queues for identified groups of subscribers may be created and modified as desired to provide a unique feature queue for that particular group. Similarly, feature queues may be created and modified for individual subscribers. As such, the present invention provides for customized feature queues on a per-office, per-group, or per-subscriber level.

When creating unique feature queues for the various groups of subscribers and individual subscribers, the group subscriber may initially inherit the standard feature queue for the office and then modify the feature queue as desired. Similarly, an individual subscriber may inherit the standard feature queue for the office, and preferably, when in a defined group of subscribers, inherit the feature queue for the group. The feature queues may be associated with the entity providing call

15

25

processing or may be provided in a remote database accessible by the entity providing the call processing.

In operation, the call processing entity will receive a trigger indicating a call processing event has occurred. The entity will identify the associated feature queue for the subscriber, group, or office, and provide call processing according to the call features defined in the chosen feature queue. Preferably, a feature queue for the lowest level entity is chosen. For example, if a subscriber has a defined feature queue and the subscriber falls within a group of subscribers having a feature queue, the individual subscriber feature queue will take precedence over the group's feature queue. Similarly, a group's feature queue will take precedence over the standard office feature queue.

Call processing may take place in any number or combination of nodes in a variety of telephony networks. The call processing techniques of the present invention are equally applicable to traditional circuit-switched telephony systems, such as the public switched telephone network and wireless telephony networks. Further, the invention is beneficial in packet-switched telephony networks, such as those used to carry voice, or in asynchronous transfer mode-based network. The call processing activities may be provided by a central call processing unit or call server, or may be distributed or provided by virtually any entity, from the telephony endpoint to a centralized call processing node.

Those skilled in the art will appreciate the scope of the present invention and realize additional aspects thereof after reading the following detailed description of the preferred embodiments in association with the accompanying drawing figures.

15

20

25

30

Brief Description of the Drawing Figures

The accompanying drawing figures incorporated in and forming a part of the specification illustrate several aspects of the present invention, and together with the description serve to explain the principles of the invention.

FIGURE 1 is a block representation of an intelligent network configured to facilitate one embodiment of the present invention.

FIGURE 2 is a flow diagram outlining the initial setup of events and associated features for an office, group of subscribers, and/or individual subscriber.

FIGURE 3 is a table outlining an exemplary event table having modified feature queues.

FIGURE 4 is a flow diagram outlining basic call processing using the modified event table and feature queues.

FIGURE 5 is a block representation of a service node.

FIGURE 6 is a block representation of a switching node.

Detailed Description of the Preferred Embodiments

The present invention provides for associating call processing events, the features associated with those events, and the order in which those features are initiated, on a per-office, per-group, and/or persubscriber basis. Upon reading the following description in light of the accompanying drawing figures, those skilled in the art will understand the concepts of the invention and will recognize applications of these concepts not particularly addressed herein. It should be understood that these concepts and applications fall within the scope of this disclosure and the accompanying

claims. The embodiments set forth below represent the necessary information to enable those skilled in the art to practice the invention and illustrate the best mode of practicing the invention.

6

With reference to Figure 1, an intelligent network system 10 is illustrated. The intelligent network system 10 includes various points, or nodes, capable of communicating with one another over packet-switched networks. Each of these nodes represents a hardware or software entity that may be located virtually anywhere and addressed from anywhere throughout the network. Further, these points may be facilitated at remote locations or may be combined or integrated in virtually any fashion. These points are shown isolated from each other to facilitate an understanding of the functionality associated with each point.

Traditionally, intelligent network components include a service switching point (SSP) 12, an intelligent peripheral (IP) 14 closely associated with the SSP 12, a signal transfer point (STP) 16 and a service control point (SCP) 18 that cooperate to facilitate the establishment of calls and conduct the call processing associated therewith. The intelligent network system 10 will also typically include a service creation environment (SCE) 20 and a service management system (SMS) 22 that cooperate to facilitate overall management, administration and maintenance of the intelligent network system 10.

The SSP 12 typically includes a hardware switch in association with software to facilitate basic call control and the added functionality to support intelligent network services and features. Preferably, the SSP 12 is configured to separate basic calls from intelligent network-based calls as they arrive at the

15

20

25

30

switch. The intelligent network-based calls are associated with events and features triggered upon the occurrence of these events. When handling an intelligent network-based call, the SSP 12 will temporarily suspend basic call processing and interact with the SCP 18 via the STP 16 using Signaling System Number 7 (SS7) signaling protocol to determine how to process the call based on the identified event.

The SSP 12 may be a central office exchange, local exchange, private branch exchange (PBX) or the like, capable of handling circuit-switched communications with any number of subscribers via telephony devices 24. To facilitate communications, the SSPs 12 carry voice traffic between one another over telephony lines or trunks 26 to facilitate the various connections between the telephony devices 24.

The STP 16 is typically a very reliable packet switch that provides for concentration of signaling for a large number of trunks 26 and handles the routing of signaling messages between the SSPs 12 and SCPs 18. Further, the STP 16 may facilitate translation of a virtual destination to a physical destination as well as provide security screening. STPs 16 are not necessary for intelligent network systems and may be co-resident in the SSP 12.

The SCP 18 facilitates call processing, and usually includes a real-time database that stores subscriber records. When accessed during an intelligent network-based call from the SSP 12, the SCP 18 executes logic for call processing. In the present invention, the SCP 18 will typically receive a call processing inquiry from the SSP 12 upon the occurrence of an event during a call and send instructions back to the SSP 12 on how to process the call.

The IP 14 is typically a stand-alone processor that is tightly coupled to the SSP 12 to provide additional functionality for the SSP 12. The additional functionality may include providing recorded announcements, facilitating an interactive voice response capability, translating dual tone multi-frequency (DTMF) signals, recognizing speech, managing facsimiles, and providing access to additional signaling networks.

The SCE 20 typically provides an interface to the intelligent network system 10 and facilitates development, debugging and provisioning of new services for the intelligent network system 10. The SMS 22 provides for loading, administration, and maintenance of data and provides an interface to the SCP 18. This interface allows management to create, update, and validate number translation and call charge tables as well as download information from and control logic of the SCP 18.

As noted the SSP 12 is typically a switch that operates to recognize service requests, request call 20 handling instructions from an SCP 18, and execute those instructions to complete a call. The SSP 12 looks for embedded "triggers" associated with events, which require the SSP 12 to initiate an intelligent network service by 25 sending a query to the SCP 18. As described below, the event triggering call processing by the SCP 18 is typically associated with one or more features associated with call services. The SSP 12 also formulates and transmits requests to the SCP 18 and processes replies and requests from the SCP 18. The SSP 12 creates 30 intelligent network announcements formulated by the service provider, typically in association with the IP 14, and transmits event messages to the SCP 18.

15

20

25

30

The SCP 18 typically receives requests from the SSP 12 and determines the destination telephone number for the call. The SCP 18 receives and processes event messages from the SSP 12, and formulates and sends responses to the SSP 12. The SCP 18 processes accounting and statistical information, such as the number of the calling party, the dialed intelligent network number, duration or type of ringing tone or call waiting signal, and other such call parameters. The SCP 18 interfaces with and receives commands for controlling services and service features of the SMS 22.

Events occurring during a call will trigger corresponding aspects of call processing. Triggering is generally defined as the process by which the SSP 12 determines that a query requesting call processing instructions will be sent to the SCP 18. A trigger is an occurrence of an event and the satisfaction of certain conditions, which results in a message being sent to the SCP 18. Triggers can be originating triggers, mid-call triggers, or terminating triggers. Examples of originating triggers are off-hook immediate and off-hook delay triggers, and custom dialing plan triggers. An example of a mid-call trigger is "flash." An example of a terminating-call trigger is the "busy condition" received when attempting to terminate a call. Another example of a terminating trigger is the "ring-no answer" condition. Call waiting and call forward busy are two widely used call triggers for busy conditions. Importantly, the previous definitions are specific to advanced intelligent networks. Generically, triggers define a place at which an application may choose to alter or react to the event associated with the trigger.

Traditionally, the events triggering call features are static for a given office or exchange. In the case

15

20

25

30

of a busy condition, a static feature queue is provided whereupon the occurrence of a busy condition, call processing will automatically attempt to initiate the call waiting service, and if the call waiting service is not satisfied, attempt to initiate a call forward busy service. The latter service allows the call to be forwarded to another number defined by the called party.

For a traditional system, call processing is handled as follows. Assume for the purposes illustrated that a called party using telephony device 24M is busy on a call and that there is an incoming call to telephony device 24M from another telephony device 24A. The call between telephony device 24A and telephony device 24M extends from the telephony device 24A to the associated SSP 12, and is routed to the SSP 12 associated with the telephony device 24M and on to the telephony device 24M. When the local SSP 12 attempts to route the call to the telephony device 24M, the originating SSP 12 will detect that the telephony device 24M is busy on another call, which recognizes the busy condition event.

Upon recognition of the busy condition event, the SSP 12 queries the SCP 18 for call processing instructions, if applicable. If, for example no IN service was provisioned, no query would occur. The SCP 18 receives the query, typically in association with the destination telephone number (i.e. the telephone number for telephony device 24M), and accesses a database for call processing instructions in the event of a busy condition. Assuming the static feature queue for the busy condition event requires initiation of a call waiting service followed by the initiation of a call forward busy service, if the call waiting service is not accepted, call processing will be provided accordingly. For call waiting, the SCP 18 will instruct the switch to

15

20

provide the call waiting tone for a select number of times, and if the called party does not respond to the call waiting signal, the SSP 12 will again query the SCP 18 for additional call processing instructions. As such, the SCP 18 will send instructions to the SSP 12 to facilitate the call forward busy service as defined in the feature queue for the busy condition event.

Although the above example is fairly simplistic, those skilled in the art will recognize the static nature of feature processing upon the occurrence of events throughout call processing. As outlined in Figure 2, the present invention allows for modifying the traditional feature queues associated with an event, and optionally, allows individual subscribers or groups of subscribers to modify and define their own feature queues for events.

Although the preferred embodiment of the invention facilitates call processing in the SCP 18, the inventive call processing techniques provided by the present invention may be incorporated in virtually any node or point in a telephony system, including any telephony devices capable of handling call processing. Further, call processing may be shared amongst various points, as those skilled in the art will recognize.

Initially, a default set of events with associated

feature queues are received (block 100) by the call
processing system. This default set of events and
feature queues may be governed by standards organization,
such as Bellcore. With the present invention,
modification of the events and the associated features

may be modified on a per-office basis. As such,
management of the office will define the events and the
features provided by that office (block 110).

Accordingly, a feature queue is created for each event
(block 120). The feature queue defines the order to

20

initiate features upon occurrence of the event for the entire office.

The table in Figure 3 provides an exemplary call processing event and feature table identifying two events (EVENT 1 and EVENT 2). The default features in the feature queue for EVENT 1 include FEATURES 1 through 4, while the features in the feature queue for EVENT 2 are FEATURES 5 through 8. According to the default settings, upon the occurrence of EVENT 1, FEATURES 1 through 4 will be initiated in order, assuming FEATURES 1 through 3 are not successfully deployed in a fashion satisfying a response to the event. Similarly, FEATURES 5 through 8 are initiated in order upon the occurrence of EVENT 2. At this point, the present invention allows modification of the feature queue for each event for the entire office (Figure 2, block 120). Referring again to Figure 3, the feature queue associated with EVENT 1 for the office is modified such that FEATURE 4 is not provided, and the features will initiate in the following order: FEATURE 2, FEATURE 1, and FEATURE 3. The feature queue for EVENT 2 is depicted as remaining the same as the default for the office.

If desired, various groups within an office may be defined and associated with a custom feature queue.

25 Further, custom features queues for individual subscribers may be provided. Depending on whether a group or individual subscriber queue is necessary, the members of the group or the individual subscriber is identified (Figure 2, block 130), and feature queues are established for the identified group or individual subscriber (block 140).

With reference to Figure 1, all of the subscribers for office A are either associated with group X or group Y. In contrast, subscribers G through L are associated

10

15

25

30

with group Z, wherein subscribers M and N are not part of a group. In this example, groups X, Y and Z may have unique, customized feature queues for the various events that may occur throughout call processing. Similarly, subscribers M and N may have further unique, customized feature queues for the various events supported by the offices A and B.

As shown in the table of Figure 3, the defined groups X, Y, and Z and subscribers M and N will preferably, automatically inherit the default feature queues of the associated group or office (Figure 2, block 150). As shown in Figure 3, one of the groups within the office may rearrange the order of features in the feature queue, which was previously modified by the office.

The group identified in the table of Figure 3 will have a feature queue defining initiation of FEATURE 3, FEATURE 2, and then FEATURE 1 upon the occurrence of EVENT 1. Since the office does not support FEATURE 4 for EVENT 1, the group will not support the feature or provide the feature in the feature queue. For EVENT 2, the features in the feature queue for the group have been modified from that of the office wherein the features are triggered in the following order: FEATURE 6, FEATURE 7, FEATURE 8 and FEATURE 5.

Similarly, subscribers within the group may further modify their feature queues (Figure 2, Block 160). For the subscribers identified in Figure 3, the feature queue for EVENT 1 carries out the features in the following order: FEATURE 1, FEATURE 2 and FEATURE 3. The feature queue for EVENT 2 for the identified subscriber provides the following order: FEATURE 7, FEATURE 6, FEATURE 5 and FEATURE 8 for EVENT 2.

Accordingly, events, features, and the order in which the features are listed in the feature queue may be

modified on an office, group or subscriber level.

Subscribers within a group, as well as subscribers not associated with the group, may modify these features.

Further, subscribers within a group may have different features than other subscribers within a group, but preferably, the office must provide the service associated with the feature to support the use of the feature for an entire group of subscribers or for an individual subscriber.

Once the feature queues are established for a subscriber, group and/or office, call processing is facilitated accordingly. Preferably, feature queues associated with a subscriber take precedence, and if there is not a feature queue associated with a subscriber for an event, the feature queue for a group is used. If a feature queue for a group is not available, the feature queue for the office is used.

Figure 4 outlines the basic flow of call processing according to the present invention wherein call 20 processing begins (block 200). When the call processing system receives an event trigger (block 210), the event is identified based on the event trigger (block 220). As noted, the lowest level entity associated with a modified feature queue is identified (block 230). Preferably, the call processing system will determine if the subscriber 25 has been assigned a feature queue for the event. The call processing system will look to the subscriber, then the group and finally the office for an event queue for the event. Once the event queue is identified, call processing will sequentially enable the features in the 30 queue for the associated event until the call processing for the event is complete (block 240). For example, if the event is a busy condition and the associated feature queue lists call waiting first and call forward busy

second, call processing will attempt to initiate call waiting, and if the call waiting initiation attempt fails, for whatever reason, a call forward busy attempt is initiated.

5 Once the call processing for the event is complete, the call processing system will determine if the next event trigger has been received (block 250). If the next event trigger is received, the process will preferably repeat by identifying the event (block 220), determining the lowest level entity associated with the feature queue (block 230), and enabling the features in the queue until the call processing is complete (block 240).

If the next event triggered is not received (block 250), the system will determine if the call is complete (block 260). If the call is not complete, the system will continue to monitor for the next event trigger (block 250). If the call is complete, processing will end (270).

Those skilled in the art will recognize that call processing capabilities may be incorporated in various 20 ones of the points in the intelligent network 10, and may be shared between multiple points therein. Further, the present invention is equally applicable to various telephony systems providing call processing to facilitate call features. As the processing capabilities in 25 telephony networks move closer to the endpoints; telephony switches, peripherals, and the telephony devices themselves may be configured to carry out call processing. In the latter case, the telephony device 24 will represent a point in the communication system 30 capable of providing call processing.

A further modification of the present invention is to allow the features associated with an event to be determined from multiple queues. For example, in an

10

15

advanced intelligent network structure, an advanced intelligent network database 28 (Figure 1) may provide additional feature processing or identify additional features for an event. The features associated with the advanced intelligent network database 28 may be used instead of or combined with the call processing features associated with the database used by the SCP 18. In essence, the feature queue may include queues from multiple databases to identify features to initiate based on a given event.

The ability to associate feature queues for events with subscriber groups and individual subscribers is equally applicable to packet-switched telephony wherein features are associated with telephony calls facilitated over packet-switched networks, such as used in voice-over IP. Similarly, call processing for mobile or wireless communication systems may be equally controlled on a subscriber, group or office level.

queues and associated events may be incorporated within the node providing the call processing, or may be remote therefrom. For example, the SSP 12 may provide a database accessible by the SCP 18 for storing feature codes for the various subscribers, groups, or the entire office. Although the processing and database allocation may be quite varied, it is preferably to place the database and the overall call processing in the SCP 18, or like call server for the communication system.

Outside of the switch or SSP 12, most of the call
processing points in a communication server are
configured to communicate over a packet-switched network
and do not require the ability to actually transport
voice traffic in a packet- or circuit-switched form. As
such, a basic service node or point, as shown in Figure

10

15

20

25

5, will include a central processing unit (CPU) 30, having sufficient memory 32 to store the requisite software 34 for operating the service node or point. Further, the memory 32 may include a database storing the events and associated feature queues. As noted above, the database is preferably associated with the service node or point providing the actual call processing, but may be associated with other elements in the system. Additionally, the service node or point may include a network interface 36 to facilitate communications with other service nodes or points in the system.

If the service node or point is a switch or includes switching ability, an architecture similar to that shown in Figure 6 may be provided. Figure 6 is a block representation of an SSP 12, configured as a local exchange switch. The depicted architecture illustrates the simplified representation of a DMS-100 local exchange switch, which is manufactured by Nortel Networks Limited.

A typical DMS-100 implementation includes a computing module 38 having the requisite software and memory 38A for operation. A "switching fabric" module 40 provides a circuit-switched interface between a plurality of subscriber lines via a subscriber line interface 42 and the public switched telephone network (PSTN) 44 via the telephony network interface 46. For implementation in an intelligent network system 10, the SSP 12 will preferably include an SS7 interface 48 operatively associated with the computing module 38.

Those skilled in the art will recognize the numerous benefits provided by the present invention and the numerous techniques to provide the inventive call processing techniques in a variety of telephony systems. These benefits include eliminating the need for the nodes carrying out call processing to attempt to initiate a

feature when the feature is in a feature queue, but not provisioned by the office or subscribed to by the group or subscriber. In essence, call processing time is not wasted trying to figure out that a feature in the default feature queue is not applicable. Call servers or like call processing systems may be provisioned according to standardized specifications while allowing customers the opportunity to modify policy provisions after the sale. Further, these policies may be further modified for various groups and subscribers supported within the overall system. Those skilled in the art will recognize further modifications and improvements of the present invention. All such modifications and improvements are considered within the teachings herein and the claims that follow.

30

Claims

What is claimed is:

- A method facilitating customized call processing
 comprising:
 - a) providing a feature queue for each of a plurality of entities, each feature queue defining a sequence to initiate call features associated with an event for call processing;
- b) receiving a trigger indicating an occurrence of the event for a call associated with one of the plurality of entities;
 - c) identifying the feature queue associated with the one of the plurality of entities corresponding to the event; and
 - d) processing the call to implement the call features in the sequence defined in the feature queue for the call.
- 20 2. The method of claim 1 wherein each of the plurality of entities may be one of a group consisting of an individual subscriber, a group of subscribers, and a combination thereof.
- 25 3. The method of claim 1 wherein the providing step comprises for each feature queue for the plurality of entities:
 - a) creating the feature queue; and
 - b) defining the sequence to implement the call features for the feature queue.
 - 4. The method of claim 1 wherein the providing step comprises for each feature queue for the plurality of entities:

- a) creating the feature queue; and
- b) defining the call features to include in the feature queue.
- 5 5. The method of claim 4 wherein the providing step comprises, for each feature queue for the plurality of entities, defining the sequence to implement the call features in the feature queue.
- 10 6. The method of claim 1 wherein each of the plurality of entities is associated with one telephony office and the providing step comprises:
 - a) creating an office feature queue;
 - b) defining the sequence to implement call features for the office feature queue;
 - c) creating each feature queue for the plurality of entities; and
 - d) defining the sequence to implement the call features for each feature queue based on the entity.
 - 7. The method of claim 6 further comprising modifying the office feature queue.
- 25 8. The method of claim 6 wherein the defining step comprises inheriting the sequence to implement call features for the office feature queue for the feature queues for each of the plurality of entities and modifying the sequence to implement call features on a per-entity basis.
 - 9. The method of claim 6 wherein the plurality of entities includes a group entity associated with a

10

15

20

25

group of subscribers and a subscriber entity associated with a subscriber and:

- a) the defining step for the group entity comprises inheriting the sequence to implement call features for the office feature queue and modifying the sequence to implement call features for the group entity for a group entity feature queue; and
- b) the defining step for the subscriber entity comprises one of the following steps:
 - i) inheriting the sequence to implement call features for the office feature queue and modifying the sequence to implement call features for the subscriber entity for a subscriber entity feature queue; or
 - ii) inheriting the sequence to implement call features for the group entity feature queue and modifying the sequence to implement call features for the subscriber entity for the subscriber entity feature queue.
- 10. A method facilitating customized call processing comprising:
 - a) providing a standard feature queue for an office having a plurality of subscribers, the standard feature queue including call features associated with an event and defining a sequence to initiate the call features for call processing;
 - b) identifying a group of subscribers;
- c) creating a group feature queue for the group of subscribers, the group feature queue including call features associated with the event and defining the sequence to initiate the call

15

20

30

features for call processing for the group of subscribers; and

- d) creating a subscriber feature queue for a given subscriber in the plurality of subscribers, the subscriber feature queue including call features associated with the event and defining the sequence to initiate the call features for call processing for the subscriber.
- 10 11. The method of claim 10 further comprising:
 - a) receiving a trigger indicating an occurrence of the event for a call; and
 - b) processing the call to implement the call features in the sequence defined in an associated feature queue for the call.
 - 12. The method of claim 11 wherein the associated feature queue is the subscriber feature queue for the given subscriber, the group feature queue for a subscriber in the group, and the standard feature queue for a subscriber other than the given subscriber and not in the group.
- 13. The method of claim 12 further comprising modifying
 25 the sequence to implement the call features for the
 standard feature queue.
 - 14. The method of claim 10 comprising:
 - a) receiving instructions to modify one of the group feature queue and the subscriber feature queue; and
 - b) modifying the one of the group feature queue and the subscriber feature queue based on the instructions.

10

15

- 15. A system facilitating customized call processing comprising:
 - a) an interface to receive triggers for a call processing event occurring during a call; and
 - b) a control system associated with the interface and adapted to:
 - i) provide a feature queue for each of a plurality of entities, each feature queue including call features defining a sequence to initiate call features associated with an event for call processing;
 - ii) receive a trigger indicating an occurrence of the event for a call associated with one of the plurality of entities via the interface;
 - iii) identify the feature queue associated with
 the one of the plurality of entities
 corresponding to the event; and
 - iv) process the call to implement the call features in the sequence defined in the feature queue for the call.
- 25 16. The system of claim 15 wherein each of the plurality of entities may be one of a group consisting of an individual subscriber, a group of subscribers, and a combination thereof.
- 30 17. The system of claim 15 wherein the control system, for each feature queue for the plurality of entities, is further adapted to:
 - a) create the feature queue; and

- b) define the sequence to implement the call features for the feature queue.
- 18. The system of claim 15 wherein the control system,

 5 for each of the feature queues for the plurality of
 entities, is further adapted to:
 - a) create the feature queue; and
 - b) define the call features to include in the feature queue.

19. The system of claim 18 wherein the control system, for each feature queue for the plurality of entities, is further adapted to define the sequence to implement the call features in the feature queue.

15

- 20. The system of claim 15 wherein each of the plurality of entities is associated with one telephony office and said control system is further adapted to:
 - a) create an office feature queue;

20

25

- b) define the sequence to implement call features for the office feature queue;
- c) create each feature queues for the plurality of entities; and
- d) define the sequence to implement the call features for each feature queue based on the entity.
- 21. The system of claim 20 wherein said control system is further adapted to modify the office feature queue.
- 22. The system of claim 20 wherein said control system is further adapted to define the sequence to implement the call features by inheriting the

sequence to implement call features for the office feature queue for the feature queues for each of the plurality of entities and modifying the sequence to implement call features on a per-entity basis.

5

10

15

20

- 23. The system of claim 20 wherein the plurality of entities includes a group entity associated with a group of subscribers and a subscriber entity associated with a subscriber and said control system is further adapted to:
 - a) define the sequence to implement the call features for the group entity by inheriting the sequence to implement call features for the office feature queue and modifying the sequence to implement call features for the group entity for a group entity feature queue; and
 - b) define the sequence to implement the call features for the subscriber entity by either:
 - inheriting the sequence to implement call features for the office feature queue and modifying the sequence to implement call features for the subscriber entity for a subscriber entity feature queue; or
 - ii) inheriting the sequence to implement call features for the group entity feature queue and modifying the sequence to implement call features for the subscriber entity for the subscriber entity feature queue.

30

- 24. A system for facilitating customized call processing comprising a control system adapted to:
 - a) provide a standard feature queue for an office having a plurality of subscribers, the standard

15

20

25

30

feature queue including call features associated with an event and defining a sequence to initiate the call features for call processing;

- 5 b) identify a group of subscribers;
 - c) create a group feature queue for the group of subscribers, the group feature queue including call features associated with the event and defining the sequence to initiate the call features for call processing for the group of subscribers; and
 - d) create a subscriber feature queue for a given subscriber in the plurality of subscribers, the subscriber feature queue including call features associated with the event and defining the sequence to initiate the call features for call processing for the subscriber.
 - 25. The system of claim 24 wherein said control system is further adapted to:
 - receive a trigger indicating an occurrence of the event for a call; and
 - b) process the call to implement the call features in the sequence defined in an associated feature queue for the call.
 - 26. The system of claim 25 wherein the associated feature queue is the subscriber feature queue for the given subscriber, the group feature queue for a subscriber in the group, and the default feature queue for a subscriber other than the given subscriber and not in the group.

27. The system of claim 26 wherein said control system is further adapted to modify the sequence to implement the call features for the standard feature queue.

5

10

- 28. The system of claim 24 wherein said control system is further adapted to:
 - a) receive instructions to modify one of the group feature queue and the subscriber feature queue; and
 - b) modify the one of the group feature queue and the subscriber feature queue based on the instructions.
- 15 29. The system of claim 24 further comprising an interface to communicate with an associated telephony switching device wherein said control system and said interface cooperate to form a call server and are adapted to provide call processing for the switching device.
 - 30. The system of claim 24 further comprising an interface to communicate with an associated telephony switching device wherein said control system and said interface cooperate to form a call server and are adapted to provide call processing for the switching device.
- 31. The system of claim 24 further comprising a circuitswitched interface to facilitate circuit-switched
 communications with a plurality of telephony devices
 wherein said control system and said circuitswitched interface cooperate to form a telephony
 switching device adapted to provide call processing.

15

20

- 32. The system of claim 24 further comprising an interface to communicate with an associated telephony switching device wherein said control system and said interface cooperate to form an intelligent peripheral and are adapted to provide call processing for the switching device.
- 33. A system for facilitating customized call processing comprising:
 - a) means for providing a feature queue for each of a plurality of entities, each feature queue defining a sequence to initiate call features associated with an event for call processing;
 - b) means for receiving a trigger indicating an occurrence of the event for a call associated with one of the plurality of entities;
 - c) means for identifying the feature queue associated with the one of the plurality of entities corresponding to the event; and
 - d) means for processing the call to implement the call features in the sequence defined in the feature queue for the call.
- 25 34. A system for facilitating customized call processing comprising:
 - a) means for providing a standard feature queue for an office having a plurality of subscribers, the standard feature queue including call features associated with an event and defining a sequence to initiate the call features for call processing;
 - b) means for identifying a group of subscribers;

10

20

- c) means for creating a group feature queue for the group of subscribers, the group feature queue including call features associated with the event and defining the sequence to initiate the call features for call processing for the group of subscribers; and
- d) means for creating a subscriber feature queue for a given subscriber in the plurality of subscribers, the subscriber feature queue including call features associated with the event and defining the sequence to initiate the call features for call processing for the subscriber.
- 15 35. The system of claim 34 further comprising:
 - a) means for receiving a trigger indicating an occurrence of the event for a call; and
 - b) means for processing the call to implement the call features in the sequence defined in an associated feature queue for the call.
 - 36. The system of claim 35 wherein the associated feature queue is the subscriber feature queue for the given subscriber, the group feature queue for a subscriber in the group, and the default feature queue for a subscriber other than the given subscriber and not in the group.
- 37. A computer readable medium comprising software instructions for a computer to facilitate customized call processing by:
 - a) providing a feature queue for each of a plurality of entities, each feature queue defining a sequence to initiate the call

15

20

30

features associated with an event for call processing;

- b) receiving a trigger indicating an occurrence of the event for a call associated with one of the plurality of entities;
- c) identifying the feature queue associated with the one of the plurality of entities corresponding to the event; and
- d) processing the call to implement the call features in the sequence defined in the feature queue for the call.
 - 38. The computer readable medium of claim 37 wherein each of the plurality of entities may be one of a group consisting of an individual subscriber, a group of subscribers, and a combination thereof.
 - 39. The computer readable medium of claim 37 further comprising instructions for providing each feature queue for the plurality of entities by:
 - a) creating the feature queue; and
 - b) defining the sequence to implement the call features for the feature queue.
- 25 40. The computer readable medium of claim 37 further comprising instructions for providing each feature queue for the plurality of entities by:
 - a) creating the feature queue; and
 - b) defining the call features to include in the feature queue.
 - 41. The computer readable medium of claim 37 wherein each of the plurality of entities is associated with a telephony office and comprising instructions for

10

15

20

providing each feature queue for the plurality of entities by:

- a) creating an office feature queue;
- b) defining the sequence to implement call features for the office feature queue;
- c) creating each feature queue for each of the plurality of entities; and
- d) defining the sequence to implement the call features for each feature queue based on the entity.
- 42. The computer readable medium of claim 41 further comprising instructions for modifying the office feature queue.
- 43. The computer readable medium of claim 41 wherein the instructions for defining the sequence to implement the call features further comprise inheriting the sequence to implement call features for the office feature queue for the feature queues for each of the plurality of entities and modifying the sequence to implement call features on a per-entity basis.
- 44. The computer readable medium of claim 41 wherein the plurality of entities includes a group entity associated with a group of subscribers and a subscriber entity associated with a subscriber and the instructions for defining the sequence to implement the call features further comprise:
- a) for the group entity, inheriting the sequence to implement call features for the office feature queue and modifying the sequence to implement call features for the group entity for a group entity feature queue; and

10

- b) for the subscriber entity, either:
 - i) inheriting the sequence to implement call features for the office feature queue and modifying the sequence to implement call features for the subscriber entity for a subscriber entity feature queue; or
 - ii) inheriting the sequence to implement call features for the group entity feature queue and modifying the sequence to implement call features for the subscriber entity for a subscriber entity feature queue.
- 45. A computer readable medium comprising software

 instructions for a computer to facilitate customized call processing by:
 - a) providing a standard feature queue for an office having a plurality of subscribers, the standard feature queue including call features associated with an event and defining a sequence to initiate the call features for call processing;
 - b) identifying a group of subscribers;
- c) creating a group feature queue for the group of subscribers, the group feature queue including call features associated with the event and defining the sequence to initiate the call features for call processing for the group of subscribers; and
- d) creating a subscriber feature queue for a given subscriber in the plurality of subscribers the subscriber feature queue including call features associated with the event and defining

15

the sequence to initiate the call features for call processing for the subscriber.


- 46. The computer readable medium of claim 45 further comprising instructions for:
 - a) receiving a trigger indicating an occurrence of the event for a call; and
 - b) processing the call to implement the call features in the sequence defined in an associated feature queue for the call.
 - 47. The computer readable medium of claim 46 wherein the associated feature queue is the subscriber feature queue for the given subscriber, the group feature queue for a subscriber in the group, and the default feature queue for a subscriber other than the given subscriber and not in the group.
- 48. The computer readable medium of claim 47 further

 comprising instructions for modifying the sequence
 to implement the call features for the standard
 feature queue.
- 49. The computer readable medium of claim 45 further comprising instructions for:
 - a) receiving instructions to modify one of the group feature queue and the subscriber feature queue; and
- b) modifying the one of the group feature queue and the subscriber feature queue based on the instructions.

10

Abstract of the Disclosure

The present invention provides for modification of call features and the priority to initiate these call features on an overall office, group, or subscriber level. In essence, configurable feature queues may be created and associated with any number of subscribers or groups of subscribers in a call processing environment. Preferably, a standard feature queue is provided for an office. The call features and the sequence in which the call features are implemented are modifiable within the standard feature queue for the entire office. Additional feature queues for identified groups of subscribers may be created and modified as desired to provide a unique feature queue for that particular group. Similarly, feature queues may be created and modified for individual subscribers. As such, the present invention provides for customized feature queues on a per-office, per-group, or per-subscriber level.






FIG. 2

			_
SUBSCRIBER WITHIN OFFICE OR GROUP	FEATURE 1 FEATURE 2 FEATURE 3	FEATURE 7 FEATURE 6 FEATURE 5 FEATURE 8	
GROUP WITHIN OFFICE	FEATURE 3 FEATURE 2 FEATURE 1	FEATURE 6 FEATURE 7 FEATURE 8 FEATURE 5	•
OFFICE (MODIFIED)	FEATURE 2 FEATURE 1 FEATURE 3 NO PROVISIONING FOR FEATURE 4	FEATURE 5 FEATURE 6 FEATURE 7 FEATURE 8	•
OFFICE (DEFAULT)	FEATURE 1 FEATURE 2 FEATURE 3	FEATURE 5 FEATURE 6 FEATURE 7 FEATURE 8	•••
CALL EVENT	EVENT 1	EVENT 2	••

FIG. 3




FIG. 4




FIG. 5





FIG. 6






FIG. 2

SUBSCRIBER WITHIN OFFICE OR GROUP	FEATURE 1 FEATURE 2 FEATURE 3	FEATURE 7 FEATURE 6 FEATURE 5 FEATURE 8
GROUP WITHIN OFFICE	FEATURE 3 FEATURE 2 FEATURE 1	FEATURE 6 FEATURE 7 FEATURE 8 FEATURE 5
OFFICE (MODIFIED)	FEATURE 2 FEATURE 1 FEATURE 3 NO PROVISIONING FOR FEATURE 4	FEATURE 5 FEATURE 6 FEATURE 7 FEATURE 8
OFFICE (DEFAULT)	FEATURE 1 FEATURE 2 FEATURE 3 FEATURE 4	FEATURE 5 FEATURE 6 FEATURE 7 FEATURE 8
CALL EVENT	EVENT 1	EVENT 2

FIG. 3




FIG. 4




FIG. 5





FIG. 6






FIG. 2

CALL EVENT	OFFICE (DEFAULT)	OFFICE (MODIFIED)	GROUP WITHIN OFFICE	SUBSCRIBER WITHIN OFFICE OR GROUP
EVENT 1	FEATURE 1 FEATURE 2 FEATURE 3	FEATURE 2 FEATURE 1 FEATURE 3	FEATURE 3 FEATURE 2 FEATURE 1	FEATURE 1 FEATURE 2 FEATURE 3
EVENT 2	FEATURE 4 FEATURE 5 FEATURE 6	NO PROVISIONING FOR FEATURE 4 FEATURE 5 FEATURE 6	FEATURE 6 FEATURE 7	FEATURE 7
•••	FEATURE 7 FEATURE 8	FEATURE 7 FEATURE 8	FEATURE 8 FEATURE 5	FEATURE 5

FIG. 3




FIG. 4




FIG. 5




FIG. 6

,	+	
Please type a plus sign (+) inside this box	1 1	

PTO/SB/01 (12-97)

Approved for use through 9/30/00. OMB 0651-0032
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid DMB control number.

a valid UMB control number.								
		Attorney Doc	ket Number	7000-043				
i	N FOR UTILITY O ESIGN	First Named I	d Inventor Wood, Patrick S.					
PATENT APPLICATION (37 CFR 1.63) COMPLETE IF KNOWN								
(37)	CFR 1.63)	Application Nu	ımber	1				
Filing Date								
□ Declaration Submitted OR	Declaration Submitted after I	nitial Group Art Unit						
with Initial Filing	Filing (surcharge (37 CFR 1.16 (e) required)		ne					
As a below named inventor, I hereby declare that:								
My residence, post office address, and citizenship are as stated below next to my name.								
I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:								
PROGRAMMABLE FEATURE QUEUES								
(Title of the Invention) the specification of which								
is attached hereto								
OR								
was filed on (MM/DD/YYYY) as United States Application Number or PCT International								
Application Number and was amended on (MM/DD/YYYY) (if applicable).								
I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above.								
l acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56.								
racknowledge the duty to disclose information which is material to paterilability as defined in 37 CFA 1.50.								
I hereby claim foreign priority benefits under 35 U S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate.								
	pplication having a filing date bef	···						
Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached? YES NO				
Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto:								
I hereby claim the benefit und Application Number(s)	der 35 U.S.C 119(e) of any Unite	ed States provisional application (MM/DD/YYYY)	on(s) listed below					
, p	g 5uu		\ 	provisional application				
numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.								

PTO/SB/01 (12-97)

Approved for use through 9/30/00. OMB 0651-0032

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION Utility or Design Patent Application

I hereby claim the benefit under 35 U S.C. 120 of any United States application(s), or 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application										
U.S. Parent Application or PCT Parent Number			P	arent Fi (MM/DI			Pa	Parent Patent Number (if applicable)		
Additional U.S. or PCT international application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.										
As a named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and to transact all business in the Patent										
and Trademark Office connected therewith: Customer Number OR		22033 ANI	033 AND 24631			Place Customer Number Bar Code Label here				
Registration Registration number listed below Registration R										
Name		lumber		Na	ıme			Num		
Additional registered practitioner(s) named on supplemental Registered Practitioner Information sheet PTO/SB/02C attached hereto.										
Direct all correspondence to: Customer Number or Bar Code Labe										
Name			,	2463	1					
Address Address	PATENT TRADEMARK OFFICE									
City										
Country		Telephone			F	ах				
I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U S.C 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.										
Name of Sole or First Inventor: A petition has been filed for this unsigned inventor										
Given Name (first and middle [if any]) Family Name or Surname										
Patrick S.			Wood							
Inventor's Signature	Fanad				Date	•	Nov.	28 '00		
Residence: City	Raleigh	State	NC	Country	, L	JSA	1	Citizenship	USA	
Post Office Address	8500 Kempton Roa	d		l						
Post Office Address										
City	Raleigh	State	NC	ZIP	27615	Cou	intry	USA		
Additional invento	ors are being named on	the supple	emental Ad	ditional Ir	nventor	(s) she	et(s) P	TO/SB/02A at	tached hereto.	